PROCEDURE Page 1 of 7

Policy/Procedure #: 3.1.11
Revision #: 2
Issue Date: 6/1/09
Review Period: 2 years
Supersedes: Rev. 1, 8/1/06
Last Reviewed: 6/1/09

Unreviewed Safety Issue Determination Policy and Procedure

Changes made in this revision:

- Reformatted procedure per APS template.
- Changed "SUF" to "PSC" throughout procedure.
- Updated throughout to indicate that for a question to be a USI it must be of a significant increase in probability OR of significant consequence.
- Deleted question 7 in Section 4.5
- The description of a Unreviewed Safety Issue (USI) has been replaced with the DOE definition of a USI, specifying that the "safety analysis" is "the <u>APS SAD</u> safety analysis". The definition has been moved to the head of the policy and the USI description in the procedure scope has been replaced with a reference to a USI.

Prepared by:

S. Davey, AES/ADM

Reviewed by:

XSD ESH Coordinator

AES ESH Coordinator

ASD ESH Coordinator

Approved by:

XSD Division Director

AES Division Director

ASD Division Director

PSC/ESH-QA Coordinator

APS Director

PROCEDURE

Page 2 of 7

Policy/Procedure #: Revision #:

3.1.11

2

Table of Contents

Definition			3
S	Summary		
Ρ	POLICY		
PROCEDURE			4
1	In	ntroduction	4
	1.1	Purpose	4
	1.2	Scope	4
	1.3	Applicability	4
2	P	reparation - Prerequisite Actions	4
3	A	cceptance Criteria	4
4	P	rocedure Action Steps - Performance	4
	4.1	Addressed in existing safety analysis?	4
	4.2	Continue to safety evaluation?	5
	4.3	Safety evaluation	5
	4.4	Continue to determine if there is a USI?	5
	4.5	Determination if there is a USI	5
	4.6	Reporting/recording Determination	6
5	Р	ost-Performance Activities	6
	5.1	Safety Analysis Inadequacies	6
6	R	eferences - Source Requirements	6
7	F	eedback and Improvement	7

PROCEDURE Page 3 of 7

Policy/Procedure #: 3.1.11
Revision #: 2

Unreviewed Safety Issue Determination Policy and Procedure

Definition

An Unreviewed Safety Issue (USI) exists if a proposed change, modification, or experiment will either:

- 1. Significantly increase the probability of occurrence or the consequences of an accident or malfunction of equipment important to safety from that evaluated previously by the <u>APS Safety Assessment Document</u> (SAD) safety analysis; or,
- 2. Introduce an accident or malfunction of a different type than any evaluated previously by the <u>APS SAD</u> safety analysis that could result in significant consequences.

Summary

If a USI may exist then it shall be reported to and reviewed by APS safety personnel. The APS will initiate a process to resolve identified inadequacies according to the defined procedure.

POLICY

When a potential USI has been identified, a documented unreviewed safety issue determination (USID) shall be performed. The determination process is initiated by notifying the PSC-ESH/QA Coordinator, in writing, of the potential inadequacies of the current safety analysis and the technical aspects of the potential USI. The PSC-ESH/QA Coordinator, or designee, will answer a series of questions that will determine if there is indeed a USI. The PSC-ESH/QA Coordinator submits the USID for approval/disapproval by an APS Division Director.

If there is a USI, according to DOE standards and the following procedure, then the APS will initiate a process to resolve the inadequacies.

PROCEDURE Page 4 of 7
Policy/Procedure #: 3.1.11
Revision #: 2

PROCEDURE

1 Introduction

1.1 Purpose

This procedure describes how to determine if there is a USI at the APS and the steps to take to resolve the safety analysis inadequacies.

1.2 Scope

This procedure describes the process to determine if a USI exists.

This procedure does not provide the detailed technical standards for the evaluation and resolution of a USI and only describes the steps the APS will take to identify and resolve potential inadequacies.

1.3 Applicability

This process will be followed for USIs identified at the APS.

2 Preparation - Prerequisite Actions

When there is the potential for a USI, it is reported in writing to the PSC-ESH/QA Coordinator, initiating a USID.

3 Acceptance Criteria

Each USID shall be approved by the PSC-ESH/QA Coordinator and an APS Division Director.

4 Procedure Action Steps - Performance

4.1 Addressed in existing safety analysis?

The PSC-ESH/QA Coordinator, or designee, shall evaluate if the change or test falls into any of the three categories below:

- 1. Temporary or permanent changes in the facility are not as described in the existing safety analyses;
- 2. Temporary or permanent changes in the procedures are not as described in existing safety analyses; or
- 3. Test or experiments are not as described in existing safety analyses.

PROCEDURE Page 5 of 7
Policy/Procedure #: 3.1.11
Revision #: 2

4.2 Continue to safety evaluation?

If the change or test falls into any of the three categories described in <u>section 4.1</u>, then a safety evaluation described in <u>sections 4.3</u> shall be performed by the PSC-ESH/QA Coordinator.

or

If the change or test does not fall into one of the three categories, the PSC-ESH/QA Coordinator skips to section 4.6.

4.3 Safety evaluation

- 1. The probability of occurrence or the consequences of an accident or malfunction of equipment important to safety previously evaluated in the facility safety analyses could be significantly increased;
- 2. The possibility for a significant accident or malfunction of a different type than any evaluated previously in the facility safety analyses could be created; or
- 3. Any margin of safety as defined on the bases of the accelerator safety envelope could be significantly reduced.

4.4 Continue to determine if there is a USI?

If the change or test falls into one of these categories described in <u>section 4.3</u>, then the PSC-ESH/QA Coordinator will answer the questions in <u>section 4.5</u> to determine if there is a USI.

or

If the change or test does not fall into one of the three categories, the PSC-ESH/QA Coordinator skips to section 4.6.

4.5 Determination if there is a USI

The PSC-ESH/QA Coordinator shall continue the determination by answering the six questions listed below. The USID shall provide a discussion of the technical merits of the situation being evaluated and will answer each of the six questions individually:

- 1. Could the proposed activity significantly increase the probability of occurrence of an accident previously evaluated in the safety analyses?
- 2. Could the proposed activity significantly increase the consequences of an accident previously evaluated in the safety analyses?
- 3. Could the proposed activity significantly increase the probability of occurrence of a malfunction of equipment important to safety previously evaluated in the safety analyses?

PROCEDURE Page 6 of 7

Policy/Procedure #: 3.1.11
Revision #: 2

- 4. Could the proposed activity significantly increase the consequences of a malfunction of equipment important to safety previously evaluated in the safety analyses?
- 5. Could the proposed activity create the possibility of a significant accident of a different type than any previously evaluated in the safety analyses?
- 6. Could the proposed activity create the possibility of a significant malfunction of equipment important to safety of a different type than any previously evaluated in the safety analyses?

If the answer to any or these questions is yes, the change or test is considered a USI.

4.6 Reporting/recording Determination

- 1. The PSC-ESH/QA Coordinator documents the USID and forwards a copy to an APS Division Director,
- 2. The APS Division Director will review and notify the PSC-ESH/QA Coordinator of the approval or disapproval the findings,
- 3. The PSC-ESH/QA Coordinator will notify the PSC-ALD of the findings, and
- 4. The PSC-ESH/QA Coordinator will record the USID in the APS central document management system.

5 Post-Performance Activities

5.1 Safety Analysis Inadequacies

If a USI has been identified:

If information that indicates a potential inadequacy of previous safety analyses or a possible reduction in the margin of safety, as defined in the SAD, is identified, then APS management will:

- 1. Notify the DOE of the situation upon discovery of the information;
- 2. Make an evaluation in accordance with DOE Orders;
- 3. Take action to place the facility in a safe condition until the safety evaluation is completed; and
- 4. Submit the completed safety evaluation prior to removing any operational restrictions initiated pursuant to item 2 above.

6 References - Source Requirements

- 1. DOE Order 420.2B, Safety of Accelerator Facilities
- 2. APS Safety Assessment Document

PROCEDURE Page 7 of 7
Policy/Procedure #: 3.1.11
Revision #: 2

7 Feedback and Improvement

If you are using this procedure and have comments or suggested improvements for it, please go to the <u>APS Policies and Procedures Comment Form</u>* to submit your input to a Procedure Administrator. If you are reviewing this procedure in workflow, your input must be entered in the comment box when you approve or reject the procedure.

^{*} http://www.aps.anl.gov/Internal/Policies_and_Procedures/comment_form.php